

Title: The Regenerative Cosmos: A Hypothesis of Gravitational Rebound Events (GREs) as Engines of Universal Renewal

Author: Todd Berry

Date: April 17, 2025

Abstract: This hypothesis presents a new cosmological model that replaces the singular Big Bang paradigm with a continuous regenerative process driven by Gravitational Rebound Events (GREs). These GREs occur when black holes reach a critical threshold—either by accumulating enough matter over time or merging with other black holes—and explosively eject the matter and energy they have absorbed. This process sends gravitational ripples through spacetime, reshapes galactic motion, and seeds the formation of new stars, planets, and galaxies. The universe, under this model, is not moving toward heat death, but is instead in a state of perpetual rebirth and restructuring.

I. Introduction

- Motivation for rethinking the Big Bang as a singular origin event
- Overview of cosmological inconsistencies: galaxy movement, structure formation, and star age distributions
- The need for a model that accommodates irregular galactic behavior and ongoing star formation

II. Core Hypothesis

- Definition of Gravitational Rebound Event (GRE)
 - Occurs when a black hole reaches a critical threshold of mass, energy, or spin
 - Can also be triggered by the merger of two or more black holes
 - Result is a massive, asymmetrical, non-uniform ejection of stored matter and energy
 - The burst is likely to be highly directional due to the irregular structure of the black hole's environment, spin, and accretion history
 - This asymmetry explains how GREs can produce uneven ripple patterns, strong gravitational gradients, and complex matter dispersal

III. Cosmic Ripple Effects

- GREs send out gravitational shockwaves, altering galactic trajectories
- Explains galaxies moving in unexpected directions (peculiar velocities)
- Offers a reason for observed distortions and asymmetries in superclusters
- Accounts for the "lumpy" and irregular structure of the cosmic web and superclusters, particularly as the cumulative result of numerous smaller GREs throughout time
- Explains the presence of cosmic voids—not as empty regions left behind from one Big Bang, but as the residual spaces created by GREs, where expelled matter has cleared out zones in space
- Predicts that galaxies near voids would exhibit motion consistent with a past local GRE: accelerated movement away from the void's center
- Suggests that galaxies further from a GRE would experience gentler deflections, while those nearby would be subjected to violent, trajectory-altering forces

IV. Matter Redistribution and Creation

- Matter ejected from GREs becomes star-forming material
- Local galaxies can be torn apart, contributing additional debris
- New systems are formed in the wake of the explosion

V. A Multi-Rippled Universe

- The universe contains countless GREs, not just one Big Bang
- The "Big Bang" was likely just the largest or nearest GRE, not the origin
- Overlapping ripple events account for the complex motion of galaxies
- In an infinite universe, GRE-driven motion combined with local gravitational dynamics makes galaxy collisions not only possible, but inevitable over time

VI. Observational Predictions and Compatibility

- GREs offer alternative explanations for redshift anomalies
- Compatible with cosmic microwave background irregularities
- Predicts zones of ripple interference and gravitational echo patterns

- Provides a natural explanation for the patchy and uneven structure of the cosmic microwave background radiation

VII. Philosophical and Temporal Implications

- Universe has no beginning or end—only ongoing transformation
- Rejects the heat death narrative in favor of endless regenerative cycles
- Introduces a fractal-like timeline with localized creation events
- Reframes existence as the product of rhythmic rebirth through cosmic collapse and release
- Suggests a living, dynamic universe continually reshaping itself through collapse and regeneration

VIII. Conclusion and Future Work

- The Regenerative Cosmos model proposes a paradigm shift in cosmology, redefining black holes as engines of renewal rather than endpoints
- Gravitational Rebound Events explain anomalies in redshift, galactic motion, and cosmic structure
- This model provides a unified explanation for observed irregularities and opens new paths for exploring the origin, evolution, and structure of the universe
- Future work includes mapping potential GRE remnants, identifying interference zones, and testing for ripple signatures through gravitational wave observations
- A call is made for interdisciplinary collaboration between cosmologists, physicists, and data scientists to expand, simulate, and test the Regenerative Cosmos framework

I. Introduction

Modern cosmology is built upon the foundation of the Big Bang—a singular, universe-defining event believed to have occurred approximately 13.8 billion years ago. This moment is said to mark the origin of all space, time, matter, and energy. Yet, as our tools and observations grow more refined, cracks have begun to appear in this narrative. The motion of certain galaxies defies the expected expansion patterns. Superclusters form lopsided,

web-like structures rather than uniform dispersions. The cosmic microwave background, once hailed as the pristine afterglow of the Big Bang, reveals patchiness and cold spots that resist easy explanation. And perhaps most strikingly, stars continue to form at rates and in regions that seem inconsistent with a universe slowly winding down toward entropy.

These inconsistencies suggest a deeper, more dynamic story than the one currently accepted. If we are to make sense of the peculiar directions galaxies move, the uneven structures of superclusters, and the fresh birth of stars in a supposedly aging cosmos, we may need to rethink not just the timing, but the nature of cosmic origins.

This paper introduces a new model—the **Regenerative Cosmos**—in which the universe is not the result of a single beginning, but of countless localized rebirths triggered by **Gravitational Rebound Events (GREs)**. These events, catalyzed by critical black hole conditions or mergers, unleash waves of matter, energy, and gravitational force into their surroundings, shaping and reshaping the universe in perpetuity. The Regenerative Cosmos hypothesis offers a coherent framework to explain the observed asymmetries and motions across space, while replacing the heat death narrative with one of continuous, localized renewal.

II. Core Hypothesis

The foundation of the Regenerative Cosmos model is the concept of the **Gravitational Rebound Event (GRE)**. A GRE is a powerful cosmic eruption that occurs when a black hole reaches a point of criticality—either by accumulating vast amounts of matter and energy over immense timescales, or through the high-energy merger of two or more black holes.

Unlike current models that suggest black holes evaporate via Hawking radiation or remain as inert singularities, the GRE hypothesis proposes that these objects eventually undergo a **gravitational rebound**. At the threshold point, gravitational forces and quantum-scale limits clash in a way that causes the black hole to *rupture*—ejecting its contents and associated energy in an immense explosion.

Importantly, this ejection is expected to be **highly asymmetrical**. Black holes rarely accumulate mass in a perfectly spherical manner; they spin, absorb matter from lopsided accretion disks, and often exist in galactic environments that are uneven and dynamic. These asymmetries—combined with intense rotational forces and irregular infall—result in GREs that release energy and matter unevenly, with directional bursts and concentrated gravitational waves.

This asymmetry is not a flaw in the model—it’s a **feature**. It helps explain:

- Why galaxies experience unusual, non-radial motion

- Why gravitational ripples don't propagate evenly
- Why superclusters are lumpy and twisted, not uniformly spaced

The expelled matter—gas, plasma, stellar remnants, and new elements—spreads out across the surrounding region, seeding the formation of new stars, planetary systems, and galaxies. These ejections, paired with the gravitational wavefronts they produce, actively reshape the flow of matter and energy across the universe.

In this view, what we refer to as the “Big Bang” was likely just the **largest or nearest GRE** in our region of the cosmos—not the origin of existence. It was one of many such events that continually shape the universe in an ongoing cycle of collapse, rebound, and regeneration.

III. Cosmic Ripple Effects

Gravitational Rebound Events (GREs) are not quiet phenomena. When a GRE occurs, it unleashes massive gravitational shockwaves that ripple outward, reshaping the local and even large-scale cosmic environment. These ripples, unlike the uniform expansion proposed by the Big Bang model, do not propagate evenly in all directions. Instead, they bend and twist the trajectories of galaxies, depending on local structure, gravitational fields, and the asymmetry of the explosion itself.

One of the most puzzling observations in modern cosmology is the presence of **peculiar velocities**—galaxies moving in directions and speeds that don't conform to the expected outward flow from a singular origin. The Regenerative Cosmos explains these motions as the result of **overlapping ripple effects** from past GREs. Each event sends out its own directional force, and where these waves intersect or converge, galaxies are pulled, deflected, or even redirected.

GREs also provide an explanation for the **irregular, filamentary shape** of the cosmic web. Superclusters are not evenly distributed or symmetrically expanding—they are warped, lumpy, and twisted. These distortions, under this model, are the **interference zones** between multiple GREs—gravitational shockwaves that refract, reinforce, or cancel each other out over cosmic time.

Perhaps most telling is the existence of **cosmic voids**. If the universe truly began from a single origin, one might expect a vast central void where the initial explosion cleared out matter. But we don't observe this. Instead, we find **smaller voids**—vast, empty regions between filaments and within superclusters. This model proposes that such voids are **the fingerprints of past GREs**—regions where expelled matter has cleared out the surrounding space, pushing galaxies outward. In these areas, **galaxies closest to the void's edge**

would show accelerated motion away from its center, while galaxies farther away would experience only mild redirection—just a nudge, rather than a shattering push.

This nuanced, ripple-driven structure paints a universe not expanding from one central point, but being continuously **reshaped from within**—by GREs of all scales. The result is the observed complexity: stars still forming, galaxies dancing in directions that defy old models, and a cosmic web that looks less like a blast wave, and more like the interference pattern from countless stones dropped into a vast cosmic pond.

IV. Matter Redistribution and Creation

One of the most powerful and transformative consequences of a Gravitational Rebound Event (GRE) is the redistribution of matter throughout the cosmos. When a GRE occurs, the black hole does not simply vanish—it detonates, hurling out the mass and energy it had consumed over millions or even billions of years. This expelled matter, once trapped within the black hole's event horizon, re-enters the surrounding universe as a vast cloud of raw materials: gas, dust, plasma, exotic particles, and heavy elements created under extreme compression.

This process becomes a primary driver for **star and galaxy formation**. As the matter expands into surrounding space, it begins to cool and condense, forming molecular clouds that collapse under gravity. These clouds give birth to new stars, which in turn forge planets, moons, and complex systems. In this way, every GRE acts as a **galactic rebirth engine**, recycling cosmic debris into the seeds of new solar systems and celestial structures.

In areas dense with galactic activity, the effects of a GRE can be especially dramatic. Entire **galaxies may be ripped apart** by the sudden gravitational shift, their stars flung across space or absorbed into new trajectories. These shattered remnants become part of the raw material that, over time, reorganizes into **new galaxies**—often incorporating fragments of the old. In some cases, **black holes at the centers of colliding galaxies may merge**, and the resulting GRE could spark another cycle of creation.

This regenerative process offers a compelling solution to another longstanding question: Why does star formation continue at significant rates, even in a universe supposedly moving toward thermodynamic equilibrium? Under this model, **the universe is continually restocked with fresh material**, allowing regions to remain vibrant, dynamic, and full of creative potential—often long after traditional cosmology would expect them to have gone quiet.

V. A Multi-Rippled Universe

Traditional cosmology envisions a universe born from a single explosive event—the Big Bang—followed by a gradual, isotropic expansion of space. Under this model, all cosmic motion can theoretically be traced back to one origin point in time and space. However, mounting evidence challenges this simplicity: galaxies moving at strange angles, massive structures that seem too large or too old to have formed since the Big Bang, and a cosmic web that looks less like a uniform expansion and more like an entangled, evolving organism.

The Regenerative Cosmos model reframes this entirely by proposing that the universe is shaped not by one event, but by **countless Gravitational Rebound Events (GREs)** occurring throughout cosmic time and across vast regions of space. Each GRE acts as a new source of energy and gravitational momentum, sending out ripples that influence everything in its path. Rather than tracing all galactic motion back to a single origin, this model suggests that galaxies are pushed, pulled, and redirected by **overlapping wavefronts** from past GREs.

These overlapping events create a **multi-rippled universe**—a dynamic tapestry of intersecting gravitational waves and matter ejection zones. Large-scale structures, such as filaments and voids, emerge not from a central detonation, but from the *interference patterns* of countless GREs throughout space. This model explains why the cosmic web appears lumpy and anisotropic: it is the result of superimposed ripple effects over billions of years.

The so-called “Big Bang” is thus reframed as merely the **most massive or nearest GRE** visible from our region of space. It dominates our observational perspective not because it was the only one, but because its wavefronts and material reshaping reached us more powerfully or more recently than others. Other regions of the universe—beyond our observable horizon—may have experienced equally massive or even larger GREs, shaping their own cosmic histories in parallel.

In this view, the universe is not expanding in a clean, symmetrical wave from a single point—but is instead **continually forming, reshaping, and moving** under the influence of countless, overlapping gravitational and material rebirths.

VI. Observational Predictions and Compatibility

The Regenerative Cosmos model offers a fresh interpretive lens for several well-documented cosmic phenomena that remain problematic under the traditional Big Bang framework. Rather than requiring ad hoc explanations for each anomaly, this model provides a unified mechanism—Gravitational Rebound Events (GREs)—that can account for multiple irregularities through one coherent system.

One of the most compelling observational implications of the GRE model concerns **galactic redshift anomalies**. In the standard model, redshift is interpreted as a measure of a galaxy's velocity away from a central point of expansion. However, numerous galaxies exhibit **peculiar velocities**—motions that deviate from this pattern. Some appear to be moving sideways, or even toward us, rather than uniformly outward. The GRE model explains these motions as the cumulative result of **gravitational ripple interference**—the push and pull from multiple overlapping GREs throughout cosmic history.

The **cosmic microwave background (CMB)** also presents several inconsistencies with a single-origin explosion model. Though generally uniform, the CMB exhibits **cold spots, hot patches, and asymmetrical distortions** that are difficult to reconcile with an evenly expanding early universe. Under the GRE framework, the CMB is not a single echo of a Big Bang, but a **composite signature**—a residual field of **overlapping gravitational wavefronts and thermal re-ignitions** caused by past GREs. These ripple echoes contribute to the patchiness observed across the sky.

The model further predicts the existence of **zones of ripple interference**, where wavefronts from multiple GREs converge and amplify or cancel each other. These regions would appear as **high-density superclusters, large voids, or gravitational anomalies** that deviate from expected mass distributions. Some of these effects may already have been observed, though not yet attributed to a ripple-based model.

In addition, GREs help explain why **galactic paths are often curved or inconsistent** with single-point origin expansion. By recognizing the GRE as a local, rather than universal, driver of motion and matter dispersion, the Regenerative Cosmos model aligns more naturally with actual observed dynamics.

VII. Philosophical and Temporal Implications

The Regenerative Cosmos model doesn't just reshape our understanding of astrophysics—it reframes our very perception of time, existence, and cosmic purpose. Under the traditional view, the universe began in a singular, incomprehensible event and is gradually fading into entropy, with all matter destined to scatter, cool, and die in silence. It is a story with a beginning and an inevitable, irreversible end.

The GRE model tells a different story.

Here, the universe is **eternally active**, not because it avoids entropy, but because it **cycles through it**. Black holes—once thought to be cosmic endpoints—are now the **gateways to renewal**. Each Gravitational Rebound Event marks not a conclusion, but a continuation: a release of stored complexity into creative chaos.

This leads to a vision of the universe that is **self-sustaining, non-linear, and fractal in time**. Creation is not centralized or momentary; it is local, rhythmic, and forever unfolding. Some regions may quiet while others burst to life. Time itself is not a straight arrow but a **web of cycles**, defined by ripples, rebirths, and rebalance.

It also invites a profound philosophical shift. If our own galaxy, our own star, perhaps even *our own atoms*, are the result of past GREs... then **we are the children of ancient collapses**—the echo of events so vast and violent that their consequences still light the night sky.

In this model, the universe is not a machine running down, but a **living, breathing system** of destruction and creation—forever reshaping itself in an infinite rhythm of collapse and bloom.

VIII. Conclusion and Future Work

The Regenerative Cosmos model represents a fundamental shift in how we conceptualize the universe—not as a one-time event moving toward inevitable entropy, but as a living, recursive system of gravitational transformation and renewal. At its heart is the Gravitational Rebound Event (GRE): a powerful phenomenon that transforms black holes from endpoints into engines of creation. These events redistribute matter, trigger gravitational wavefronts, and catalyze the formation of stars, galaxies, and structure at every scale.

By reframing the so-called Big Bang as merely the most massive or proximal GRE within our observational horizon, this model elegantly explains why the universe appears structured, yet uneven; dynamic, yet filled with motion that doesn't conform to a single origin. The peculiar velocities of galaxies, the asymmetric distribution of mass, the lumpy form of superclusters, and the patchwork nature of the cosmic microwave background—all of these become understandable as the interference patterns of overlapping GREs playing out across cosmic time.

The implications of this model are profound. It challenges the assumption of a finite beginning, removes the terminal prediction of heat death, and replaces them with an eternal rhythm of collapse, rebound, and renewal. In doing so, it provides not only a scientific framework, but also a philosophical one—placing humanity and all matter as descendants of ancient GREs, part of an ongoing cycle of cosmic reinvention.

Looking forward, the next phase in developing this hypothesis will involve identifying **observational signatures** of past GREs—ripples in spacetime that may still be propagating, or structural anomalies that suggest wavefront interference. Gravitational wave detectors, galactic motion models, and deep-sky mapping projects may already hold

data capable of validating this model. Simulation work—modeling how matter and motion would behave in a universe defined by overlapping GREs—could provide further insight and predictive power.

Ultimately, this is a call for **interdisciplinary collaboration**—uniting cosmologists, astrophysicists, mathematicians, simulation developers, and data scientists. Together, we can test the framework, explore its boundaries, and determine whether the Regenerative Cosmos is not just a model, but the reality we live within.

Appendices

Glossary of Terms

- **Gravitational Rebound Event (GRE):** A cosmic-scale explosion that occurs when a black hole reaches criticality, either through mass accumulation or merger, ejecting matter and gravitational energy back into the universe.
- **Ripple Interference:** The overlapping of gravitational wavefronts from multiple GREs, which may amplify, cancel, or redirect cosmic motion and structure.
- **Singularity Threshold:** The proposed physical limit within a black hole at which further compression results in gravitational rebound rather than continued collapse.
- **Multi-Rippled Universe:** The concept of the cosmos being influenced by many overlapping GREs over time, creating complex patterns of motion and structure.
- **Cosmic Web:** The large-scale structure of the universe consisting of filaments, voids, and superclusters, shaped by the combined effects of GREs.
- **Peculiar Velocities:** Motions of galaxies that deviate from the expected outward trajectory from a singular origin, often attributed to localized ripple effects in this model.
- **Cosmic Microwave Background (CMB):** A background radiation field, interpreted in this model as a composite of thermal and gravitational echoes from multiple GREs.
- **Regenerative Cosmos:** A cosmological framework in which black holes are sources of renewal and creation, rather than endpoints, through repeated GRE cycles.
- **Directional Burst:** The asymmetrical release of energy and matter during a GRE, shaped by the black hole's local environment and spin.
- **Interference Zone:** A region of space where multiple GRE ripple patterns overlap, leading to anomalies in structure formation or motion.

Timeline Comparison: Standard Model vs. GRE Regeneration Model

Cosmic Phase	Standard Model	GRE Regeneration Model
Origin	Singular Big Bang, ~13.8 billion years ago	Most recent and massive GRE within our observable region; no singular origin
Early Structure Formation	Rapid inflation, cooling, then star and galaxy formation	Immediate post-GRE matter dispersal seeds local star and galaxy formation
Cosmic Microwave Background	Residual thermal radiation from Big Bang	Composite imprint of overlapping GREs over time
Galaxy Motion	Radial expansion from single point	Multi-vector motion caused by ripple interference from GREs
Ongoing Star Formation	Declining over time, seen as leftover process	Continuously renewed by GREs injecting fresh material
Ultimate Fate	Heat death (entropy-driven expansion into silence)	Endless regeneration through cyclic GRE activity across time and space

References

- Abbott, B. P., et al. (2016). Observation of gravitational waves from a binary black hole merger. *Physical Review Letters*, 116(6), 061102.
- Bennett, C. L., et al. (2003). First-Year Wilkinson Microwave Anisotropy Probe (WMAP) observations: Preliminary maps and basic results. *The Astrophysical Journal Supplement Series*, 148(1), 1–27.
- Einasto, J. (1997). Superclusters and the large-scale structure of the Universe. *Astrophysics and Space Science*, 252(1), 185–199.
- Planck Collaboration. (2016). Planck 2015 results - XIII. Cosmological parameters. *Astronomy & Astrophysics*, 594, A13.
- Riess, A. G., et al. (1998). Observational evidence from supernovae for an accelerating universe and a cosmological constant. *The Astronomical Journal*, 116(3), 1009–1038.
- Spergel, D. N., et al. (2007). Three-year Wilkinson Microwave Anisotropy Probe (WMAP) observations: Implications for cosmology. *The Astrophysical Journal Supplement Series*, 170(2), 377–408.
- Tully, R. B., Courtois, H., Hoffman, Y., & Pomarède, D. (2014). The Laniakea supercluster of galaxies. *Nature*, 513(7516), 71–73.