# A Comprehensive Modern Mathematical Foundation for Hypercomplex Numbers with Recollection of Sir William Rowan Hamilton, John T. Graves, and Arthur Cayley

Faysal El Khettabi

faysal.el.khettabi@gmail.com LinkedIn: faysal - el - khettabi - ph - d - 4847415

#### 1966

#### Abstract

Can we derive a Modern Mathematical Framework for Hypercomplex Numbers?

Hypercomplex numbers, such as quaternions and octonions, expand beyond traditional real and complex numbers by introducing additional imaginary units. These numbers have unique algebraic properties and applications in mathematical and physical theories for describing transformations, symmetries, and geometric concepts in higher-dimensional spaces. However, there is a noticeable gap in the robust mathematical foundation related to hypercomplex numbers. This research project aims to establish a comprehensive mathematical framework for hypercomplex numbers, specifically focusing on their intrinsic relationship with physical systems having a natural number of degrees of freedom. By enhancing the understanding and application of hypercomplex numbers in this context, deeper insights into complex systems and phenomena in various fields can be uncovered.

### 1 Zermelo-Fraenkel Set Theory

The Zermelo-Fraenkel (ZF) set theory, developed by mathematicians Ernst Zermelo and Abraham Fraenkel, is a fundamental axiomatic framework in set theory, consisting of nine foundational axioms. In ZF set theory, sets can be elements of other sets, with key axioms like Pairing and Power Set playing essential roles in understanding set properties and relationships. These axioms lay the groundwork for analyzing and manipulating sets, providing crucial tools for studying the properties and connections between sets in mathematics.

One notable feature of traditional set theory is the lack of significance placed on the order of elements within a set. According to the principle of extensionality, sets are considered equal if they contain the same elements, regardless of the order in which these elements are arranged. This emphasis on element content rather than order underscores the principle of set equality in set theory.

When considering the powerset of a set, which includes all possible subsets of the set, a set with n elements will have  $2^n$  elements in its powerset. This exponential growth demonstrates the vast number of combinations and configurations possible as the cardinality of a set increases, highlighting the complex structure present in sets and their subsets.

## 2 Importance of Element Relationships

In ZF set theory, the focus is on the relationships among elements within sets rather than the specific properties of individual elements. This approach allows set theory to analyze collections of objects based on their structure and relationships, making it a powerful tool for mathematical analysis.

By prioritizing relationships over individual characteristics, set theory can analyze complex systems and structures in mathematics and other disciplines. This emphasis on relationships showcases the foundational significance of set theory in mathematics and its applicability in various fields where understanding element organization and relationships is essential.

#### 2.1 Consistency in Set Theory and Kurt Friedrich Gödel

Maintaining consistency is crucial for logical coherence within a theory, preventing contradictions. ZF set theory serves as a foundational system in mathematics, allowing sets to act as elements of other sets. However, Gödel's incompleteness theorems reveal limitations in complex formal systems' ability to prove their own consistency, suggesting the existence of unprovable mathematical truths.

To uphold the consistency of set theory, a combination of philosophical justifications and formal proofs is often employed. Discussions on set properties, logical principles, and foundational mathematics are essential for ensuring a rational discourse on sets and their attributes.

## 3 The Principle of Rationality in Physics

Fundamental physics relies on concepts that effectively capture causality in a broad and adaptable manner, encompassing both fixed and dynamic causal structures. Sets are frequently utilized in physics to organize and categorize objects or properties, with the concept of sets as elements of other sets playing a crucial role. This principle enables the delineation of relationships among various physical elements and is vital for analyzing complex systems within the realm of physics.

In the pursuit of fundamental physics, there is a need to reevaluate our mathematical foundations and develop elegant principles that deepen our comprehension of the universe. This foundational element shapes our understanding of the natural world, defining physical systems with specific degrees of freedom represented by natural numbers that align with human cognition. This numerical framework serves as the basis for our perception and interpretation of the world around us, with our human senses serving as essential tools for engaging with the underlying physics of our environment.

## 4 Physical Systems with Natural Number of Degrees of Freedom

In the realm of physical systems, acknowledging that each system has a finite number of degrees of freedom is crucial for describing its state and properties, as the interactions and behaviors of the system are heavily influenced by the specific order and arrangement of these degrees of freedom, highlighting the significance of considering the order within the power-sets of physical systems with varying degrees of freedom to enhance reasoning and understanding of the system's behavior and interactions at different levels of complexity.

#### 4.0.1 Relationship Between the Powersets

The relationship between the powersets of physical systems with differing degrees of freedom is a fundamental property derived from set theory. Specifically, it states that the powerset of a physical system,  $S_n$  with n degrees of freedom is a subset of the powerset of a physical system,  $S_{n+1}$  with n + 1 degrees of freedom.

Generating the power set of an ordered set must be done in a recursive manner that follows the well-established order of the elements in the given set. This process is crucial for effectively representing a physical system,  $S_{n+1}$  with n+1 degrees of freedom as:

$$P(S_{n+1}) \equiv P(S_n) \cup P^c(S_n),$$

where  $P^{c}(S_{n})$  is the complement of the set  $P(S_{n})$ , i.e it contains everything that is not in the powerset  $P(S_{n})$  of the set  $S_{n}$  with n degrees of freedom.

This equation can be interpreted as an analogy to decomposing a group into a subgroup and its complement within the larger group. In this context,  $P(S_n)$ represents the subgroup, and  $P^c(S_n)$  represents the complement of that subgroup within the larger group  $P(S_{n+1})$ . This interpretation highlights the idea of breaking down a group into its constituent parts, allowing for a deeper understanding of the group structure and its relationship with its subgroups and complements. In the section 5.2,  $P(S_n)$  is showed to be a finite Abelien group. Thus  $P^c(S_n)$ is never a group.

Fundamentally,

$$P(S_1) \subset P(S_2) \subset P(S_3) \subset \dots \subset P(S_n) \subset P(S_{n+1}).$$

Thus,

$$2^1 < 2^2 < 2^3 < \dots < 2^n < 2^{n+1}.$$

The powerset relationship between physical systems with different degrees of freedom shows that as the number of degrees of freedom increases, the set of possible configurations expands exponentially. This growth in complexity highlights the intricate relationships within systems with multiple degrees of freedom, leading to emergent phenomena and non-linear dynamics. Understanding and managing this complexity is essential for researchers and engineers working with complex systems, requiring advanced analytical tools and a deep understanding of system behavior. Recognizing the exponential growth in complexity emphasizes the need for a systematic approach in studying and analyzing complex systems to unlock their potential for innovation and advancement.

## 5 Utilizing XOR Operation on Powerset

In a straightforward approach, the exclusive OR (XOR) operation can be applied to elements X and Y in the powerset P(A), denoted as follows:

$$X \oplus Y = (X \cup Y) - (X \cap Y).$$

It is essential to note that this operation is valid mathematically only when considering X and Y as subsets of the set A since X and Y are elements of the powerset P(A).

When elements X and Y originate from the powerset P(A), they are no longer subsets of the initial set A; instead, they are regarded as elements of the powerset itself. Consequently, directly applying operations like XOR to these elements as if they were subsets of A may result in inconsistencies and misinterpretations.

To accurately define operations on elements of the powerset and establish group structures, it is imperative to formulate operations specific to the powerset rather than extending operations from the original set A to P(A) haphazardly. By acknowledging the unique properties of elements within the powerset and defining operations within the context of the powerset, mathematical rigor is preserved. Therefore, it is crucial to treat elements from the powerset separately from the original set A to ensure clarity and precision in mathematical analysis.

#### 5.1 Significance of Mathematical Rigor in Education

In educational environments, mathematics often simplifies concepts to facilitate understanding. While this aids in introductory learning, it is imperative for students to delve into intricate definitions and interpretations as they progress. Students should comprehend that simplified explanations serve as building blocks rather than comprehensive mathematical rigor. By fostering a questioning mindset, students can deepen their understanding beyond elementary explanations, promoting critical thinking and advancing mathematical proficiency. Approaching mathematics with a critical eye, questioning assumptions, and striving for comprehension enhances logical reasoning skills and aids in avoiding misconceptions stemming from overly simplistic explanations.

### 5.2 Finite Abelian Group Structure of Powerset Associated with Physical Systems with Natural Number of Degrees of Freedom using $XOR_{bitwise}$

By representing each element in the powerset as a binary string where each bit corresponds to the presence or absence of an element in the original set, one can apply  $XOR_{bitwise}$  to compute the symmetric difference of the subsets.

In the first example, the binary representations of subsets  $A = \{1, 2\}$  and  $B = \{2, 3\}$  from the power set of  $S_3 = \{1, 2, 3\}$  are  $A \equiv 110$  and  $B \equiv 011$ . The  $XOR_{bitwise}$  operation on these representations results in 101, which corresponds to the subset  $\{1, 3\}$ , representing the symmetric difference of subsets A and B.

In the second example, the binary representations of subsets  $A = \{2, 3\}$ and  $B = \{2, 3\}$  from the power set of  $S_3 = \{1, 2, 3\}$  are both  $A \equiv 011$  and  $B \equiv 011$ . The  $XOR_{bitwise}$  operation on these identical representations results in 000, which corresponds to the empty set, indicating that there are no elements present.

In the third example, the binary representations of subsets  $A = \{1, 2, 3\}$  and  $B = \{2, 3\}$  from the power set of  $S_3 = \{1, 2, 3\}$  are  $A \equiv 111$  and  $B \equiv 011$ . The  $XOR_{bitwise}$  operation on these representations results in 100, which corresponds to the subset  $\{1\}$ , indicating that only element 1 is present.

In the fourth example, the binary representations of subsets  $A = \{2\}$  and  $B = \{1,3\}$  from the power set of  $S_3 = \{1,2,3\}$  are  $A \equiv 010$  and  $B \equiv 101$ . The  $XOR_{bitwise}$  operation on these representations results in 111, which corresponds to the subset  $\{1,2,3\}$ , indicating that all elements are present.

In the moreover example, the binary representations of subsets  $A = \{2, 3\}$ and  $B = \{3\}$  from the power set of  $S_3 = \{1, 2, 3\}$  are  $A \equiv 011$  and  $B \equiv 001$ . The  $XOR_{bitwise}$  operation on these representations results in 010, which corresponds to the subset  $\{2\}$ , indicating that only element 2 is present.

This approach proves valuable for studying physical systems with 3 degrees of freedom, such as interactions within confined quarks. By utilizing  $XOR_{bitwise}$  operations on binary representations, the presence of elements in these interactions can be effectively analyzed. This method serves as a robust tool for exploring the intricate dynamics of such systems.

For a deeper understanding of bitwise operations, refer to Wikipedia covering the theme Bitwise operation. Furthermore, knowledge of Boolean algebra, as explained in Wikipedia covering the theme Boolean algebra, can assist in demonstrating the Abelian Group structure of the Powerset associated with Physical Systems with a Natural Number of Degrees of Freedom using the  $XOR_{bitwise}$ operation and in a trivial manner.

## 6 The Interplay of Set Theory, Order, and Finite Abelian Groups in Hypercomplex Number Systems

The exploration of hypercomplex numbers within the realm of set theory unveils intriguing connections between algebraic structures and combinatorial properties. These relationships are pivotal in elucidating the Fundamental Theorem of Finite Abelian Groups, wherein the order of elements assumes a significant role in the group's decomposition and characterization.

In general mathematics, the theorem posits that every finite abelian group is isomorphic to a direct product of cyclic groups. The arrangement of these cyclic groups within the direct product is crucial, dictating the group's structure and decomposition. This insightful theorem underscores the intricate interplay between element order, group isomorphism, and group properties in finite abelian groups.

Similarly, the Sylow Theorems in group theory also highlight the importance of the order of elements in analyzing the structure of finite groups. These theorems provide essential insights into the existence and properties of certain subgroups within groups, emphasizing the significance of element order in group theory proofs.

Moreover, the discussion transcends to the XOR operation on powersets, where the binary representation of subsets and bitwise operations exemplify the symmetric differences between elements. This algebraic tool, rooted in set theory, bears profound consequences in analyzing hypercomplex numbers and their applications.

Additionally, it challenges the common fallacy that the order of elements within a set lacks significance. In physical systems with degrees of freedom, element arrangement plays a pivotal role in system dynamics and interactions, debunking the oversimplified notion of order irrelevance in set theory.

By integrating these perspectives, we illuminate the foundational principles and intricate relationships within hypercomplex numbers guided by set theory axioms. The synergy between order-dependent group structures, algebraic operations, and combinatorial properties deepens our understanding of hypercomplex number systems and their profound implications across mathematical and physical domains. This integrated discussion underscores the fundamental role of element relationships, powerset operations, and element order in both abstract algebraic structures and tangible physical systems, setting the stage for innovative discoveries and heightened mathematical insights.

## 7 Application to Hypercomplex Number System

Interestingly, the multiplication rules of hypercomplex numbers algebra is fundamentally based on  $XOR_{bitwise}$  as a fundamental algebraic operation. The coincidence between the hypercomplex numbers dimensions,  $2^n$  elements and the cardinality of powersets associated with physical systems of n degrees of freedom is a fascinating mathematical connection that highlights the intricate interplay between algebraic structures and combinatorial properties in the realm of theoretical physics.

As illustration, the set representing a Physical Systems of 4 degrees of freedom

$$S_4 = \{1, 2, 3, 4\}.$$

The power set of the set  $S_4$  is generated in a recursive manner while respecting the established order of elements:

$$\mathcal{P}(S_4) = \{\{\}, \{1\}, \{2\}, \{1, 2\}, \{3\}, \{1, 3\}, \{2, 3\}, \{1, 2, 3\}, \{4\}, \{1, 4\}, \{2, 4\}, \{1, 2, 4\}, \{3, 4\}, \{1, 3, 4\}, \{2, 3, 4\}, \{1, 2, 3, 4\}\}.$$

The power set of  $S_4$  indeed consists of 16 "unit" elements, each represented by a 4-bit binary number to denote the presence or absence of elements of  $S_4 =$  $\{1, 2, 3, 4\}$ . In binary representation, for example:  $\{\}$  can be represented as  $e_0 =$ 0000,  $\{1\}$  can be represented as  $e_1 = 1000$ , till  $\{1, 2, 3, 4\}$  represented as  $e_{15} =$ 1111. The representation of Sedenion numbers as linear combinations of these "unit" elements  $(e_i)_{0 \le i \le 15}$  using rational numbers and the specific arithmetic rules governing their multiplication play a crucial role in understanding the algebraic structure of Sedenions.

The use of rational numbers to scale the elements within Sedenion numbers is crucial due to the inherent limitation of finite physical systems to accurately represent irrational numbers. Irrational numbers serve as a theoretical boundary that surpasses the precision of finite physical systems. By employing rational numbers, specifically within the set of rational numbers Q, the scaling process mirrors the properties of natural numbers. It is worth noting that the cardinality of the set of natural numbers N is equivalent to the cardinality of rational numbers constructed as ratios of two integers, emphasizing the deep connection between these number sets. (For further elaboration on this topic, refer to section 7.2.)

In practical terms, when coefficients are used to denote measurements, the use of rational numbers ensures that they are finite. For example, it is easier to conceptually grasp the idea of "2 bananas" as opposed to "the square root of 2 or  $\sqrt{2}$  bananas", highlighting the practicality and applicability of rational numbers in representing real-world quantities.

While physical systems cannot perfectly represent irrational numbers, approximations using rational numbers or numerical methods offer practical solutions. The level of precision required depends on the specific system and the desired accuracy of the analysis.

The limitations of representing irrational numbers do not invalidate their usefulness in theoretical physics. They are often used to model idealized concepts or fundamental constants, contributing to theoretical frameworks without requiring perfect physical realization. By expressing Sedenions in terms of these unit elements, we can explore the relationships and properties that arise within this algebraic system. Furthermore, the distinction between real units and imaginary units, denoted as  $(e'_i)_{0 \le i \le 15}$ , is significant in understanding the nature of Sedenions and their relationship to other algebraic structures. These distinctions allow us to elucidate the intricate connections and properties that exist within diverse algebraic systems. By delving into these distinctions and exploring the relationships within hypercomplex numbers algebras, we can enhance our comprehension of abstract algebras and its applications. This deep understanding not only enriches our knowledge of mathematical structures but also provides insights into the foundations of set theory axioms and their relevance to physical systems with integer degrees of freedom.

### 7.1 Mathematical Inception of Hypercomplex Number System

Hypercomplex numbers, including complex, quaternion, and octonions, were initially developed by mathematicians such as Sir William Rowan Hamilton, John T. Graves, and Arthur Cayley. Later, researchers extended this development to include Sedenion numbers and beyond. These hypercomplex numbers can be conceptualized as algebraic sets within set theory, particularly utilizing the powerset concept. When applied to physical systems with integer degrees of freedom, they represent sets with a finite number of fundamental elements known as degrees of freedom, where their order and arrangement matter within the set, contrary to the common fallacy<sup>2</sup> that the order of elements within a set does not matter. Understanding the intricacies of hypercomplex numbers and their algebraic structures deepens our comprehension of abstract algebra within the mathematical framework grounded in set theory axioms and physical systems with integer degrees of freedom. And by Incorporating the established order provided by natural numbers and the natural operation  $XOR_{bitwise}$  can greatly enhance our understanding and comprehension of hypercomplex num-

<sup>&</sup>lt;sup>1</sup>where the product of two given units are expressed as  $e'_i * e'_j = \pm e_{i \wedge j}$  and  $\wedge$  is the  $XOR_{bitwise}$  operation.

<sup>&</sup>lt;sup>2</sup>In the context of set theory and the representation of physical systems with integer degrees of freedom, the mention of the "common fallacy" regarding the order of elements within a set not mattering is a critical insight. This fallacy often emerges due to the emphasis on the properties of sets, where elements are considered in a collection without any specific order. However, in the realm of physical systems with degrees of freedom, the order and arrangement of elements within a set hold significant importance.

By highlighting this fallacy, the text underscores the misconception that the order of elements within a set always lacks significance. In contrast, when modeling physical systems or considering degrees of freedom, the specific arrangement and order of elements play a crucial role in defining the system's behavior, interactions, and properties.

This observation challenges the oversimplified notion that the order of elements in a set is always inconsequential. By recognizing and addressing this fallacy, the text effectively emphasizes the nuanced understanding required when dealing with sets representing physical systems, where the arrangement of elements holds meaningful implications for the system's dynamics and attributes.

bers and their applications.

By leveraging the familiar structure of natural numbers and the intuitive concept of  $XOR_{bitwise}$ , we can create a solid foundation for exploring the properties and behaviors of hypercomplex numbers in a more accessible and relatable manner. This approach can help bridge the gap in our understanding of hypercomplex numbers and facilitate their application in various mathematical and physical theories.

Understanding complex systems, particularly in the realm of mathematical modeling and analysis, presents a profound challenge. The inherent complexity and interdependencies within such systems often give rise to an exponential proliferation of possible states and interactions. This doubling effect engenders a daunting task in conducting a thorough analysis.

The doubling pattern in cardinality that mirrors the exponential growth in complexity of large systems underscores the escalating intricacies as additional elements, variables, or interactions are introduced. The proliferation of possible states and relationships among components grows exponentially, posing a formidable obstacle that necessitates sophisticated mathematical frameworks and tools for comprehensive comprehension and analysis.

In practical terms, the exponential complexity growth poses significant hurdles for researchers and scientists endeavoring to elucidate and anticipate the behaviors of intricate systems. It may necessitate a collective and sustained effort over an extended period to fully grasp the nuances of certain complex systems, particularly those exhibiting continuum-like behaviors.

While complete comprehension of these intricate systems may remain elusive, focusing on specific scales, discrete components, or critical interactions within the systems can yield valuable insights and practical knowledge. Deconstructing complex phenomena into more manageable components and leveraging tools such as simulation, approximation, and abstraction allows researchers to make progressive strides in decoding and harnessing complex systems for diverse applications.

### 7.2 Continuum & Georg Cantor

Georg Cantor's work demonstrated that the cardinality of real numbers R exceeds that of natural numbers N, symbolized by the continuum having a cardinality  $c = 2^{\aleph_0}$ , where  $\aleph_0$  represents the cardinality of N and c surpasses  $\aleph_0$ . This mathematical insight enables the continuum to act as a representation of systems approaching an "infinite" number of degrees of freedom, offering a framework to analyze systems with numerous variables beyond finite models' capacity. Through exploring the powerset concept and the continuum's cardinality, we gain insights into the complex structures of systems with vast or infinite degrees of freedom.

#### 7.3 Nested Groups

Furthermore, delving into the nested groups within the power set of the power set provides a deeper understanding of how systems progress towards the continuum as degrees of freedom increase. By observing the incremental nesting of subsets within the power set hierarchy, we can conceptualize the continuum as an asymptotic limit reached as the system's complexity tends towards infinity. This viewpoint emphasizes the interconnectedness, emergent properties, and infinite cardinality associated with the continuum, providing a comprehensive framework for analyzing complex systems with expanding degrees of freedom.

### 7.4 Continuation on Exponential Complexity and Innovative Approaches

Moreover, the exponential growth in complexity underscores the need for innovative approaches to tackle the challenges posed by these intricate systems. By integrating advanced computational tools, machine learning algorithms, and data-driven analytics, researchers can gain deeper insights into the behavior and dynamics of complex systems. These technologies can help in identifying patterns, correlations, and emergent properties within the system that may not be readily apparent through traditional analytical methods.

Furthermore, interdisciplinary collaboration among experts in mathematics, physics, computer science, and other relevant fields can provide a holistic perspective on complex systems. By pooling expertise and leveraging diverse skill sets, researchers can develop comprehensive models and simulations that capture the intricate interactions and dependencies inherent in these systems.

In conclusion, while the complexity of complex systems may present formidable challenges, it also offers a rich landscape for exploration and discovery. By embracing the intricacies of these systems and employing innovative approaches and collaborative efforts, researchers can unravel the mysteries of complex phenomena, paving the way for new advancements and breakthroughs in science and technology. The continuum, as elucidated by Georg Cantor's work, serves as a powerful framework for understanding and analyzing systems with myriad degrees of freedom, guiding us towards a deeper appreciation of the interconnectedness and complexity of the world around us.

## 8 Elevating the Impact of Hypercomplex Numbers

The profound impact of hypercomplex numbers, attributed to the pioneering work of mathematicians like Hamilton, Graves, and Cayley, has ushered in a new era of mathematical exploration. The discovery of innovative number systems such as quaternions and octonions has transcended the limitations of traditional real and complex numbers, paving the way for a deeper analysis of complex structures and properties within mathematics. Moreover, the incorporation of foundational mathematical frameworks, including set theory and the influential work of Cantor and Zermelo-Fraenkel, has provided a solid footing for the study of hypercomplex numbers. These fundamental principles have laid the groundwork for a more rigorous examination of these advanced number systems, enhancing our understanding of their algebraic intricacies and applications across various domains.

Additionally, Godel's incompleteness theorems have played a pivotal role in shaping contemporary research endeavors aimed at developing a comprehensive framework for hypercomplex numbers. By striving to enhance the consistency and applicability of set theory within physical systems characterized by specific degrees of freedom, researchers are aligning mathematical principles with realworld phenomena, enriching the theoretical landscape.

The exploration of the intricate structures and properties intrinsic to hypercomplex numbers represents a frontier in mathematical inquiry. Researchers are not only broadening our comprehension of advanced number systems but also expanding the horizons of mathematical knowledge. This ongoing journey of discovery holds immense promise for both theoretical advancements and practical applications, catalyzing the evolution and enrichment of mathematical discourse.

The synergy between hypercomplex numbers and foundational mathematical frameworks underscores the symbiotic relationship between theory and practice. By recognizing the symbiotic relationship between Set Theory, Zermelo-Fraenkel axioms, and hypercomplex numbers, researchers can expand the boundaries of mathematical exploration and unlock new possibilities in this captivating and intellectually stimulating branch of mathematics.

## 9 Exploring Modern Mathematical Frameworks for Hypercomplex Numbers

Delving into the challenge of deriving a Modern Mathematical Framework for Hypercomplex Numbers is a critical step in addressing the broader inquiry posed by John Baez about deriving the Standard Model or a related framework from logical principles and addressing some of his influential questions in his previous work "Struggles with the Continuum".

In my exploration of these questions, I aim to establish a comprehensive Modern Mathematical Foundation for Hypercomplex Numbers while acknowledging the contributions of Sir William Rowan Hamilton, John T. Graves, and Arthur Cayley in this field. The draft of this foundation can be accessed via this GitHub link https://efaysal.github.io/HCNFEK2024FE/HypComNumSetTheGCFEKFEB2024. pdf

#### My Research Journey

My research endeavors, focused on computational methods for radiation theory and the standard model, have led me into the intriguing realm of hypercomplex numbers. The decision to delve into this field was driven by the intricate challenges encountered in analyzing empirical data from experimental laboratories, particularly in crucial domains such as early cancer detection and threat material identification. Motivated by advanced technologies rooted in standard model principles, I felt compelled to push the boundaries of numerical analysis beyond the conventional and avoid erroneous assumptions, such as representing a neutron as a solid sphere.

Recognizing the importance of adopting a nuanced approach, I have redirected my research focus towards unraveling the complexities of hypercomplex number systems. This shift has sparked innovation, leading to the generation of fresh ideas and insights that drive my ongoing research pursuits. Through this exploration, I have unearthed fascinating numerical intricacies associated with hypercomplex numbers, drawing inspiration from the groundbreaking work of esteemed scholars like John Baez and Greg Egan. Their contributions have paved the way for expanding the practical applications of octonions in numerical computations, enriching the landscape of hypercomplex mathematics.

I look forward to delving further into these significant findings in the near future and extend a warm invitation for you to join me on this exhilarating journey of exploration and discovery.

Warm Regards,

Faysal El Khettabi.

Towards Understanding of Complex Mathematical Systems.